

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	251	(709/304)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:38
L2	29	l1 and ((generat\$3 or compil\$3 or creat\$3) with (adapter\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:46
L3	8	l2 and (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
L4	0	l1 and (stub\$1 same compil\$3 same interpreter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
L5	5	l1 and (stub\$1 same compil\$3) and interpreter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
L6	407	(709/330)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:43
L7	67	l6 and ((generat\$3 or compil\$3 or creat\$3) with (adapter\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
L8	20	l7 and (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
L9	0	l8 and (stub\$1 same compil\$3 same interpreter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44

L10	3	l8 and (stub\$1 same compil\$3) and interpreter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
L11	19	(l1 or l6) and((dynamic\$4 or run\$4) with (generat\$3 or compil3 or creat\$3) with (adapter\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:48
L12	3	l11 and compiler\$1 and interpreter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:48
S1	2263	(717/139 or 717/140 or 717/148 or 717/104 or 700/12 or 712/220)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:42
S2	89	S1 and ((generat\$3 or provid\$3 or creat\$3) with (adapter\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:38
S3	55	S2 and (compil\$5 with (\$4code\$1 or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:50
S4	35	S3 and (interpret\$3 with (\$4code\$1 or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:50
S5	91	S1 and ((generat\$3 or provid\$3 or creat\$3) with (adapt?r\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:50
S6	55	S5 and (compil\$5 with (\$4code\$1 or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:50
S7	35	S6 and (interpret\$3 with (\$4code\$1 or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:51
S8	11	("5675804").URPN.	USPAT	OR	OFF	2005/02/18 12:03

S9	3	("6151703" "6247169" "6282702").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 12:13
S11	2263	(717/139 or 717/140 or 717/148 or 717/104 or 700/12 or 712/220)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 14:01
S12	293	S11 and (state\$1 near2 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 14:01
S13	24	S12 and ((state\$1 near2 machine) same (compil\$6 with (\$4code\$1 or program\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 14:03
S14	9	("5539907" "5675803" "5911073" "6088525" "6164841" "6189141" "6223339" "6314558" "6481008").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 14:50
S16	4	S14 and (state\$1 near2 machine)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 14:51
S17	4	S16 and (compil\$5 or interpret\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 14:52
S18	30545	(generat\$3 or provid\$3 or creat\$3) with (adapt?r\$1 or stub\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:09
S19	944	S18 and (machine near2 state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:46
S20	127	S19 and (compil\$5 with (\$4code\$1 or program\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:11
S21	40	S20 and (map\$4 with state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:12

S22	5	("5553286" "5659751" "5822591" "6074432" "6202208").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 15:46
S25	1	("6381737").URPN.	USPAT	OR	OFF	2005/02/18 15:53
S26	36	S19 and ((map\$4 or translat\$3 or conver\$4) with state\$1 with (\$4code\$1))	USPAT	OR	OFF	2005/02/18 16:06
S27	2	("5966534").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 17:43
S28	35	(machine adj1 state\$1) with (call\$3 near3 (procedure\$1 or function\$1 or method\$1 or code or routine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 17:45
S30	5699	machine adj1 state\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 12:36
S31	187	S30 with (map\$4 or \$3relat\$3 or associat\$3) with (code or instruction\$1 or statement\$1 or operation\$1 or method\$1 or procedure\$1 or routine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 12:38
S32	54	S31 and ((compil\$3 or translat\$3 or convert\$3) with code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 12:39
S33	1874	(717/139 or 717/140 or 717/148 or 717/104 or 700/12 or 712/220)".class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 12:56
S34	60	S33 and ((generat\$3 or compil\$5 or creat\$3) with (adapter\$1 or stub\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:55
S35	21	S34 and (virtual adj1 machine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 12:57

S36	579	compil\$5 with (adapter\$1 or stub\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 12:59
S37	73	S36 with (dynamic\$4 or runtime or run-time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:00
S38	7	S37 same ((virtual adj1 machine\$1) or JvM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:48
S39	5	S36 and (execution adj1 stack\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:56
S40	14285	(generat\$3 or compil\$5 or creat\$3) with (adapter\$1 or stub\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:49
S42	2626	S40 and ((adapter\$1 or stub\$1) with (translat\$3 or convert\$3 or interpret\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:58
S43	9	S42 and (S40 same (virtual adj1 machine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:59
S44	5	("5553286" "5659751" "5822591" "6074432" "6202208").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 14:06
S45	1	S44 and (stub\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 14:06
S46	348	(translat\$3 or convert\$3 or interpret\$3) with (runtime or run-time or execution) with stack\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:42
S47	5	S46 same stub\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:45

S48	3	stub\$1 with interpreter\$1 with compiler\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:45
S49	2083	(generat\$3 or compil\$5 or creatl8\$3) with (stub\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:49
S50	16	S49 same compiler\$1 same interpreter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:58
S51	337	stub\$1 with stack\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:58
S52	16	S51 same (interpreter\$1 or compiler\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:37